

SEDAZINE - A.C.P.[®] PASTE

ORAL TRANQUILISER FOR HORSES AND CATTLE



DESCRIPTION

An aid in quietening excitable, nervous, unruly or hard to handle horses and cattle.

ACTIVE INGREDIENTS

9UW %a ``V&bhU]bg'5Wdfca Un]bY'a U'YUH'f57Dk' %&a [''

KEY BENEFITS/PROPERTIES

- GYXUn]bY'5"7"D&]g'U'safe option to prescribe to inexperienced owners or for those who would prefer to avoid giving injectable acepromazine when direct veterinary supervision is not possible.
- Oral acepromazine is a less traumatic option for the horse to avoid the stress of injection in "needly shy" or skittish horses.
- Formulated in a convenient, pleasant flavoured paste.

MODE OF ACTION

Central nervous system depression and sedative. As a phenothiazine derivative, tranquilisation is achieved by blocking of the dopamine receptors in the brain.

DOSAGE/ADMINISTRATION

0.13-0.26mg/kg.
For best results, administer on an empty stomach.

Allow 1-2 hours for peak effect.

Sedazine A.C.P.[®] paste is a Restricted Veterinary Medicine. Available only under Veterinary Authorisation. Registered pursuant to the ACVM Act 1997. ACVM No. A003854.

INDICATIONS

H\Y'dUghY'dfYgYbUH]cb`WUb'gUZY'miVY'dfYgW]VYX' Zcf'ck bYf'UXa]b]ghfUH]cb`hc'gyHh'Y'YI W]hUV'Y' Ub]a U'g'Zcf'hfU]b]b[z'\UbX]b[z'hfUbgdcfh'UbX' fci h]bY'a UbU[Ya Ybh'dfcW'Xi fYg'cf'Zcf'Ugg]gh]b[j YhYf]bUf]Ubgz'hfU]bYfgz'ghi Xg'UbX' owners.

CONTRAINDICATIONS

- Do not administer to breeding stallions.
- Do not use in conjunction with organophosphates and/or procaine hydrochloride, as it may enhance activity and potential toxicity.

WITHHOLDING PERIOD

Meat: Cattle - 72 hours. Horses - 63 days.
Milk: 70 milkings (35 days).

STORAGE

Store below 30°C.

PRESENTATION

30ml dial-a-dose syringe.
